

TOILET FACILITIES

The following tables will be used as a guide by the Principal Environmental Health Officer in determining the provision of toilets for an event:

Total Attendance Numbers	Male WC	Male Urinal	Male Hand Basin	Female Hand Basin	Female WC
0 - 1000	2	750mm	1	1	5
1000-2000	3	3m	2	2	10
2000-3000	4	3.8m	3	3	15
3000-4000	5	5.2m	4	4	20
4000-5000	6	7.5m	5	5	25
5000-6000	7	9m	5	6	30
6000-7000	8	10.5m	6	7	35
7000-8000	9	12m	7	8	40
8000-9000	10	13.5m	8	9	45
9000-10,000	11	15m	9	10	50

Duration of the Event	% of Table Values
More than 8 hours	100% of table values
6 hours - but less than 8 hours	80% of table values
4 hours - but less than 6 hours	75% of table values
Less than 4 hours	70% of table values
If the event is alcohol free	50% of table values

The applicant is to ensure:

- Adequate number of toilets are available for the event;
- Disabled access toilets are provided;
- Adequate gender signage is displayed on all additional toilets provided;
- Lighting is supplied to toilets if event is held from 6pm onwards.

The applicant may be responsible for pumping out the effluent disposal system at the venue if the need arises during or after the event.